



CASTORGIRNAR INDUSTRIES PVT. LTD.



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Castor Oil

Synonyms:

CASTOR OIL LOW MOISTURE, CASTOR OIL FSG, CASTOR OIL PPG, CASTOR OIL COLD PRESSED, CASTOR OIL COMMERCIAL GRADE

Chemical Abstracts Registry No:

8001-79-4

REACH Registration Number:

Exempt from REACH registration requirements (Annex V).

1.2. Relevant identified uses of the substance or mixture and uses advised against

industrial applications; Lubricants; chemical intermediate;

1.3. Details of the supplier of the safety data sheet

CASTORGIRNAR INDUSTRIES PVT LTD.
NEAR RAJDHANI WEIGHBRIDGE DOLATPARA
JUNAGADH GUJARAT INDIA MAIL: lab@girnarinindustries.com

TEL:- +91-285-2660893

FAX: - +91-285-2660893

1.4. Emergency telephone number

CASTORGIRNAR INDUSTRIES PVT LTD +91-285-2660893

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture (According to Regulation (EC) No 1272/2008, 29 CFR 1910.1200 and the Globally Harmonized System)

Not Classified as Hazardous

2.2. Label elements

Signal Word: Non-Hazardous

Hazard Precautions: Not Classified as Hazardous

SECTION 3: Composition/information on ingredients

3.1. Substances or 3.2. Mixtures

Ingredient	CAS Number	Concentration (weight %)	EC Number	CLP Inventory/ Annex VI	EU CLP Classification (1272/2008)
Castor Oil	8001-79-4	~ 100	232-293-8	Not listed.	Non-Hazardous

NOTE: See Section 8 for exposure limit data for these ingredients. See Section 15 for trade secret information (where applicable). See Section 16 for the full text of the R-phrases above.

SECTION 4: First aid measures

4.1. Description of first aid measures

Skin Contact: Wash thoroughly after skin contact. Get medical attention if irritation develops or persists.

*



CASTOR GIRNAR INDUSTRIES PVT. LTD.



Eye Contact:	Rinse eyes immediately with large amounts of water for at least 15 minutes, occasionally lifting the eyelids. Seek medical advice if symptoms persist.
Inhalation:	No specific treatment is necessary since this material is not likely to be hazardous by inhalation. Remove from exposure. If not breathing, give artificial respiration and call a physician.
Ingestion:	If swallowed, contact physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Acute:	Not expected to be significantly irritating to skin or eyes. Oral exposure will cause nausea, vomiting, severe diarrhea and cramping (colic).
Delayed Effects:	None known.

4.3. Indication of any immediate medical attention and special treatment needed

Noteto Physician:	No specific indications. Treatment should be based on the judgment of the physician in response to the reactions of the patient.
--------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Appropriate Extinguishing Media:	Alcohol foam, carbon dioxide, dry chemical. Water spray
---	---

5.2. Special hazards arising from the substance or mixture

Hazardous Products of Combustion: Carbon dioxide, Carbon monoxide

Potential forDust Explosion:Not applicable

5.3. Advice for firefighters

Basic FireFighting Guidance:	Wear self-contained breathing apparatus and full protective clothing (i.e., Bunker gear). Skin and eye contact should be avoided. Normal fire fighting procedures may be used.
-------------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuation Procedures:	Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Special Instructions:	See Section 8 for personal protective equipment recommendations. Remove all contaminated clothing to prevent further absorption. Decontaminate affected personnel using the first aid procedures in Section 4. Leather shoes that have been saturated must be discarded.

6.2. Environmental precautions

Prevent releases to soils, drains, sewers and waterways.

6.3. Methods and material for containment and cleaning up

Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Remove all ignition sources. Ventilate the area of spill or leak. Wear protective equipment during clean-up. For small spills, use suitable absorbent material and collect for later disposal. For large spills, the area may require diking to contain the spill. Material can then be collected (eg., suction) for later disposal. After collection of material, flush area with water. Dispose of the material in accordance with standard practice for disposal of potentially hazardous materials as required by applicable federal, state or local laws.

6.4. Reference to other sections

Refer to section 8 for information on selecting personal protective equipment. Refer to section 13 for information on spilled product, absorbent and clean up material disposal instructions.

SECTION 7: Handling and storage



CASTOR GIRNAR INDUSTRIES PVT. LTD.



7.1. Precautions for safe handling

- Practices to Minimize Risk:** Wear appropriate protective equipment when performing maintenance on contaminated equipment.
- Wash hands thoroughly before eating or smoking after handling this material. Do not eat, drink or smoke in work areas. Prevent contact with incompatible materials. Avoid spills and keep away from drains.
- Handle in a manner to prevent generation of aerosols, vapors or dust clouds.

7.2. Conditions for safe storage, including any incompatibilities

Storage Precautions & Recommendations:

Dangerous Incompatibility Reactions:

Incompatibilities with Materials of Construction:

7.3. Specific end use(s)

This product should be stored at ambient temperature in a dry, well-ventilated location. Protect containers against physical damage. Keep away from heat, sparks, and flame. Should be periodically inspected.

Incompatible with oxidizing materials. None

If a chemical safety assessment has been completed an exposure scenario is attached as an annex to this Safety Data Sheet. Refer to this annex for the specific exposure scenario control parameters for uses identified in subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Country	Occupational Exposure Limit (as 8-hour time-weighted averages)
USA - NIOSH REL (vegetable oil mist)	10 mg/m ³ (total particulate); 5 mg/m ³ (respirable fraction)
ACGIH TLV (particulates, insoluble)	10 mg/m ³ (total particulate); 3 mg/m ³ (respirable fraction)
Australia, Belgium, Canada (Ontario and Quebec), New Zealand, Singapore (vegetable oil mist)	10 mg/m ³ (inhalable)
Sweden (vegetable oil mist)	0.2 mg/m ³
Air Monitoring Method:	Gravimetric analysis for total particulate and respirable fraction (<10 microns).

8.1. Exposure controls

Also see the annex to this SDS (if applicable) for specific exposure scenario controls.

Other Engineering Controls: All operations should be conducted in well-ventilated conditions. Local exhaust ventilation should be provided.

Personal Protective Equipment: Wear impervious gloves (i.e., latex rubber), boots, work uniform and safety glasses. Where overexposures are a concern, use NIOSH-approved dust/mist respirator as necessary.

Respirator Caution: Observe OSHA regulations for respirator use (29 CFR 1910.134). Air-purifying respirators must not be used in oxygen-deficient atmospheres.

Thermal Hazards: Not applicable.

Environmental Exposure Controls:

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance, State & Odor (ambient temperature):	Pale yellow oil with mild characteristic odor.		
Molecular Formula: Vapor	Variable composition (UVCB) No	Molecular Weight:	Variable composition (UVCB)
Pressure:	data available.	Evaporation Rate: Vapor	< 1 (Butyl Acetate = 1)
Specific Gravity or Density:	0.959 @ 25°C (typical)	Density (air = 1):	Heavier than air.
Boiling Point:	313 °C	Freezing / Melting Point:	-18 to -10°C
Solubility in Water:	Insoluble	Octanol/Water Coefficient:	No data available.
pH:	No data available.	Odor Threshold:	No data available.
Viscosity:	7.5 stokes @ 25°C	Autoignition Temperature:	449°C
Flash Point and Method:	540°F (282°C) PMCC	Flammable Limits:	No data available.
Flammability (solid, gas):	Not applicable.	Decomposition Temperature:	No data available.
Explosive Properties:	Not explosive.	Oxidizing Properties:	Not an oxidizer.

SECTION 10: Stability and reactivity

10.1. Reactivity	Not classified as dangerously reactive.
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	Not expected to occur.
10.4. Conditions to avoid	None known
10.5. Incompatible materials	Incompatible with oxidizing materials.
10.6. Hazardous decomposition products	include carbon monoxide, carbon dioxide and dense smoke.

Products of incomplete combustion may

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute Oral LD₅₀:	> 5000 mg/kg (rat) 5 - 15 g/kg (human, estimated)
Acute Dermal LD₅₀:	No data available.
Acute Inhalation LC₅₀:	No data available.
Skin Irritation:	Non-irritating to skin.
Eye Irritation:	Mildly irritating to eyes.
Skin Sensitization:	Not sensitizing (Weight of evidence)

*



CASTOR GIRNAR INDUSTRIES PVT. LTD.



Mutagenicity:	Negative in Ames Assay, both with and without metabolic activation.
Toxicity:	No evidence of reproductive effects.
Carcinogenicity:	This material is not listed by IARC, NTP or OSHA as a carcinogen. No test data is available that indicates this material is a carcinogen.
Target Organs:	None known
Aspiration Hazard:	Based on physical properties, not likely to be an aspiration hazard.
Primary Route(s) of Exposure:	Skin contact and absorption, eye contact, and inhalation. Ingestion is not likely to be a primary route of exposure.
Most important symptoms and effects, both acute and delayed	Not expected to be significantly irritating to skin or eyes. Oral exposure will cause nausea, vomiting, severe diarrhea and cramping (colic). Delayed Effects: None known.
Additive or Synergistic effects:	None known.

SECTION 12: Ecological information

12.1. Toxicity	No data available.
12.2. Persistence and degradability	No data available
12.3. Bioaccumulative potential	No data available
12.4. Mobility in soil	No data available
12.5. Results of PBT and vPvB assessment	This substance is not a PBT or vPvB.
12.6. Other adverse effects	This substance is a naturally-occurring vegetable oil. Large releases to environmental media may disrupt flora and fauna. Take appropriate precautions to prevent the spills of oils into the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

US EPA Waste Number:	Non-Hazardous
Waste Classification: (per US regulations)	The waste may be classified as "special" or hazardous per State regulations.
Waste Disposal:	NOTE: Generator is responsible for proper waste characterization. State hazardous waste regulations may differ substantially from federal regulations. Dispose of this material responsibly, and in accordance with standard practice for disposal of potentially hazardous materials as required by applicable international, national, regional, state or local laws, and environmental protection duty of care principles. Do NOT dump into any sewers, on the ground, or into any body of water. For disposal within the EC, the appropriate classification code according to the European Community List of Wastes should be used. Note that disposal regulations may also apply to empty containers and equipment rinsates.

SECTION 14: Transport information

The following information applies to all shipping modes (DOT/IATA/ICAO/IMDG/ADR/RID/ADN), unless otherwise indicated:

14.1. UN number	Non-Hazardous	14.2. UN proper shipping name	Chemicals, N.O.S. (Castor Oil)
14.3. Transport hazard class(es)	Non-Hazardous	14.4. Packing group	Not applicable.

*



CASTOR GIRNAR INDUSTRIES PVT. LTD.



14.5. Environmental hazards Not applicable.

14.6. Special precautions for user Not applicable.

NA Emergency Guidebook Numbers: Not applicable.

IMDG EMS:

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Category Y; Category Y (containing <2% free fatty acids)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Inventory Lists:

Status:

USA TSCA:

Listed

EINECS:

Listed (232-293-8)

Canada (DSL/NDSL):

Listed (DSL)

Japan:

Not listed.

Korea:

Listed (KE-04979)

Australia:

Listed

China:

Listed

Philippines:

Listed

Taiwan:

Listed

New Zealand:

Listed

German Water Hazard Classification:

ID Number 760, not considered hazardous to waters

SARA 313:

Not listed.

Reportable Quantities:

Not applicable.

State Regulations:

Not applicable.

HMIS IV:

NFPA:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0



15.1. Chemical safety assessment

A chemical safety assessment is not required as this substance is not classified as hazardous.

SECTION 16: Other information

Classification Method: On basis of test data

Training Advice: Not applicable.

Legend of Abbreviations:

ACGIH = American Conference on Governmental Industrial Hygienists. CAS = Chemical Abstracts Service.
 CFR = Code of Federal Regulations.
 DSL/NDSL = Domestic Substances List/Non-Domestic Substances List. EC = European Community.
 EINECS = European Inventory of Existing Commercial Chemical Substances. ELINCS = European List of Notified Chemical Substances.
 EU = European Union.
 GHS = Globally Harmonized System. LC = Lethal Concentration.

LD = Lethal Dose.
 NFPA = National Fire Protection Association.
 NIOSH = National Institute of Occupational Safety and Health. NTP = National Toxicology Program.
 OSHA = Occupational Safety and Health Administration PEL = Permissible Exposure Limit.
 RQ = Reportable Quantity.
 SARA = Superfund Amendments and Reauthorization Act of 1986. TLV = Threshold Limit Value.
 WHMIS = Workplace Hazardous Materials Information System.



CASTOR**GIRNAR** INDUSTRIES PVT. LTD.



Important Note: Please note that the information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. The information contained herein may change without prior notice.

Original Date: - 18-FEBRUARY-2014

Revision Date : 11-JANUARY-2021
Issued By : QC Department
Revision Details : Slightly Cut Off Change